

Hard Guideway Ck6140 Ck6150 Metal Flat Bed Cnc Lathe Machine Oil

Basic Information

Place of Origin: Henan, China
 Brand Name: BAISHUN
 Certification: ISO

Model Number: CK6180X3000mm

• Minimum Order Quantity: 1 set

Price: Negotiation

Packaging Details: Export standard wooden case package or

Negotiation with customers

• Delivery Time: 45 work days

Payment Terms: L/C, Western Union, T/T
 Supply Ability: 50 Set/Sets per Month



Product Specification

Max. Length Of Workpiece 3000 (mm):

Structure: Flat Bed Lathe
Max. Spindle Speed (r.p.m):850 R.p.m
Machining Capacity: Light Duty
Spindle Bore(mm): 100
Width Of Bed (mm): 550 Mm
Spindle Motor Power(kW): 11

Number Of Axes: 2
Travel (X Axis)(mm): 500 Mm
Travel (Z Axis)(mm): 1850 Mm
Positioning Accuracy (mm): 0.03
Repeatability (X/Y/Z) (mm): 0.012

Dimension(L*W*H): 4710*1550*1900mm

Single



More Images

. No. Of Spindles:









Product Description

Good Rigidity Hard Guideway Ck6140 Ck6150 Metal Cnc Turning Flat Bed Cnc Lathe Machine

Product Description

Horizontal CNC lathe machine

The numerical control system adopts GSK980TC3 and servo drive of Guangshu system, and adopts domestic famous and high-quality ball screw and high-precision screw bearing. The spindle adopts high-precision spindle bearing set and has been precisely assembled and dynamically balanced to ensure that the spindle has high precision, low noise and strong rigidity. Each lubrication point adopts a forced automatic lubrication device for fixed-point and quantitative lubrication of the lead screw and guide rail. When there is an abnormal state or the amount of oil is insufficient, a warning signal is automatically generated. The standard is equiped with domestic 250 manual chuck.

Features:

- (1) The machine can process precisely internal or external diameter, face, taper, arc and threading with high efficiency.
- (2) Standard tool-post is 4-stations, also 6-stations tool-post can be optional selection Spindle speed changed by frequency. (3)Induction harden bedway. Bed saddle with plastic sticker can improve the accuracy and service life of the machine.
- (4) The spindle is supported by imported precision bearings.
- (5)Normally machine is provided with 3jaw chuck. According to customer's optional selection, hydraulic chuck or pneumatic chuck also can be supplied.

.....

Elenctric 4-position turret:

With Tail stock:

Machine parameter

Specifications	CK6140	CK6150	CK6161	CK6166	CK6180	
Max. swing over bed	400mm	500mm	610mm	660mm	800mm	
Max. workpiece length	750/1000/1500/2000/3000mm					
Spindle taper	Mohs NO.6(MT6)[Φ90 1:20(Type B)][Φ113 1:20(Type C)]					
Chuck size	C6[D8(Type B/C)]					
Spindle bore dia.	Φ52mm/[Φ80mm(Type B)][Φ105mm(Type C)]					
Range of spindle speeds 3	Independent spindle:100~1600r/min					
steps(Auto. Change gear)	21-1500r/min(62-1500 66-500 21-150)					
Tail stock center travel	150mm					
Tail stock sleeve taper	MT5					
Positioning accuracy	±0.015mm					
Repositioning accuracy	±0.006mm					
X/Z rapid traverse	4/6m/min					
Spindle motor	7.5kw			11kw		
Overall dimensions for750	2550*1550	*1700		2550*1550*1900		
Overall dimensions for1000	2750*1550*1700 2750*1550*1900					
Overall dimensions for1500	3250*1550*1700 3250*1550*1900					
Overall dimensions for2000	3700*1550*1700 3700*1550*1900					
Overall dimensions for3000	4710*1550	*1700	4710*1550*1900			

Company Information

Henan Baishun Machinery Equipment Co.,Ltd is a professional manufacturer, which especially work for Slotting machine, Vertical lathe machine, CNC Vertical lathe machine, CNC Horizontal lathe machine, Roll lathe machine, Gear hobbing machine, Pole erection machine, Shredder machine, etc. With more than 15 years experience for lathe machines, we have export our products to Peru, Brazil, Chile, Mexico, Italy, Indonesia, Sri Lanka, Russia, and Uzbekistan.

Packaging & Shipping

_

Cour Services (A)We will delivery the goods as soon as possible (B)Goods will be packed according to the customer needs (C)Long term strong and steady supply ability (D)The final price is up to your order quantity and product quality (E)OEM is available (F)Good after-sales service



No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China