

Henan Baishun Machinery Equipment Co., Ltd.

Basic Information

- Place of Origin:
- Brand Name:
- Certification:

lathemach.com

- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T, L/C, Western Union

China

Baishun

ISO CE

BK5032

Negotiation

35 working days

150 Set/Sets per Month

1 Set

Supply Ability:



Product Specification

- Product Name:
- Marketing Type:
- Warranty Of Core Components:
- Controller:
- Voltage:
- Warranty:
- Power (kW):
- Applicable Industries:
- Highlight:

Cnc Metal Slotting Machine New Product 2022 1 Year

CNC

4

380v/50hz Or As Customer Required

Export standard wooden case package

- 1 Year
- Metal Slotting
 - BK5032, Cnc Slotting Machine, Cnc Metal Slotting Machine



More Images



Our Product Introduction

Product Description

Long Service Life Angle Steel Metal Automatic BK5032 Cnc Metal Slotting Machine

Description:

This machine be used for interpolation plane, forming surface and Keyway Etc. And can insert the inclination in the 10° Mold and other within the scope of etc. work matter, Enterprise suitable for single or small batch production. The machine has high power, strong cutting force, good rigidity, high cost performance, long service life, and can be widely used in machine tool and automobile manufacturing, various mechanical, electrical and aerospace industries.

The main performance characteristics:

1. The working table of the machine tool is provided with three different directions of feed (longitudinal, horizontal and rotary), therefore work object go through once clamping, Several surfaces in the machine tool machining

2.Hydraulic transmission mechanism with sliding pillow reciprocating motion and hydraulic feed device for working table. 3.The sliding pillow has the same speed in every stroke, and the movement speed of the ram and the working table can be adjusted

continuously.

4. Hydraulic control table have ram commutation oil for oil reversing mechanism, In addition to hydraulic and manual feed outer,

Even there single motor drive vertical, horizontal and rotary fast moving.

5.Use hydraulic feed the slotting machine, Is when the work is over turning back instantaneous feed, Therefore be better than mechanical slotting machine used drum wheel feed.

Application:

1. This machine be used for interpolation plane, forming surface and Keyway Etc. And can insert the inclination in the 10° Mold

and other within the scope of etc. work matter,,

2. Enterprise suitable for single or small batch production.

3. Different Metal works

Product main technical parameters:

| Item | Unit | BK5018 | BK5030 | BK5032 | BK5040 |
|----------------------------|-------|----------------|--------------------|--------------------|--------------------|
| Max. length of ram | mm | 180 | 300 | 320 | 400 |
| Ram adjustment stroke | kg | 80 | 300 | 315 | 315 |
| Number of ram movements | n/min | 30/120 | 30~150 | 20~80 | 20~80 |
| Working desk size | mm | 600*320 | 550*405 | 800*610 | 800*610 |
| X direction motor torque | N.M | 6 | 6 | 7.7 | 7.7 |
| Z direction motor torque | N.M | 6 | 6 | 7.7 | 7.7 |
| Main motor power | kw | 3.7 | 3.7 | 4 | 4 |
| Machine weight | kg | 2000 | 2800 | 3700 | 3700 |
| Package dimension | mm | 2200*2100*2300 | 2300*2200*230 0 | 2800*2400*250 0 | 2800*2400*250 0 |

Machine picture:

