



Ordinary Lathe Guide Rail Width of 600 mm of Heavy-Duty Cw6180b Horizontal Manual Lathe

Our Product Introduction

for more products please visit us on lathemach.com

Basic Information

- Place of Origin: Henan, China
- Brand Name: Baishun
- Certification: ISO
- Model Number: CW6180B
- Minimum Order Quantity: 1 set
- Price: Negotiation
- Packaging Details: Export standard wooden case package or Negotiation with customers
- Delivery Time: 45 work days
- Payment Terms: T/T, L/C, Western Union
- Supply Ability: 20 Set/Sets per Month



Product Specification

- Name: Ordinary Lathe Guide Rail Width Of 600 Mm Of Heavy-Duty Cw6180b Horizontal Manual Lathe
- Max. Length Of Workpiece (mm): 10000 Mm
- Range Of Spindle Speed(r.p.m): 4.8 - 640 R.p.m
- Machining Capacity: Heavy Duty
- Width Of Bed (mm): 600
- Max. Turned Length (mm): 10000 Mm
- Type: Horizontal
- Spindle Motor Power(kW): 11kw
- Voltage: 380V, 50hZ, 3Phase
- Weight (KG): 9000 KG
- Spindle Bore: 105mm
- Max. Swing Diameter (mm):800 Mm



More Images



Product Description

Ordinary Lathe Guide Rail Width of 600 mm of Heavy-Duty Cw6180b Horizontal Manual Lathe

Product Description:

- Ideal for turning lengthy workpieces
- Bedways surface treated with supersonic frequency hardening
- High rigidity and accuracy in the spindle system
- Headstock equipped with clutch for enhanced safety and reliability
- X and Z axis with centralized ballscrew
- Features a centralized lubrication system

Product Application (lathe machine)

The machine is mainly suitable for cutting the workpiece inside and outside round cylindrical, cone and other rotating parts, machinable various commonly used metric, inch, module and diametral pitch thread, and broaching oil groove and keyway.

This series lathe machine is suitable for internal and external turning, tapering, and other rotating faces, metric, module and inch threads, as well as drilling and pull oil slot.

This machine could machining steel, casting, nonferrous metals and etc.

The dimensional accuracy of machined workpiece could reach to IT6-IT7, and with good surface roughness.

The Machine with handle breaker, easy to operate, safe and reliable.

HORIZONTAL LATHE MACHINE

FACTORY DIRECT SELLING/ EXCELLENT QUALITY PERFORMANCE WITH BEST PRICES



Machine Specification

Technical items/Model	CW6163	CW6180Q / CW6280Q	CW6180B / CW6280B	CW6110Q / CW6210Q	CW61125Q / CW62125Q	CW61125B	CW61160B	CW61160	CW61200	CW61250
Swing diameter over bed	630mm	800mm	800mm	1100mm	1250mm	1250mm	1600mm	1600mm	2000mm	2500mm
Swing diameter over carriage/cross slide	350mm	480mm	480mm	800mm	920mm	860mm	1200mm	1200mm	1600mm	2100mm

Swing diameter over gap/saddle	CW6163-No gap	CW6180Q-No gap	CW6180B-No gap	CW6110Q-No gap	CW61125Q-No gap					
	CW6263-800mm	CW6280Q-1000mm	CW6280B-1000mm	CW6210Q-1300mm	CW62125Q-1500mm	No gap				
Max. Length of workpiece	1500mm; 2000mm; 3000mm; 4000mm; 5000mm; 6000mm; 8000mm; 10000mm; 12000mm; 14000mm; 16000mm; 18000mm; 20000mm									
Max. Weight of workpiece	2 tons	2 tons	2.5 tons	2.5 tons	2.5 tons	6 tons	6 tons	16 tons	16 tons	16 tons
Spindle hole diameter	105mm	105mm	105mm	105mm	105mm	130mm	130mm	130mm	130mm	130mm
Guide rail width	550mm	550mm	600mm	600mm	600mm	755mm	755mm	1100mm	1100mm	1100mm
Main motor power	11 kw	11 kw	11 kw	11 kw	11 kw	22 kw	22 kw	22 kw	22 kw	22 kw

Machine Piceture





REAL SHOOTING

PRODUCTION WORKSHOP

CAREFUL AND RIGOROUS, PRECISE ASSEMBLY, EVERY PLACE IS DELICATE
TEEVERY SILK IS OUR DEDICATED EFFORT.



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China