

CW6280Q Horizontal Torno Paralelo Manual Turning Metal Lathe Torno Machine

Basic Information

Place of Origin: China
Brand Name: BAISHUN
Certification: ISO
Model Number: CW6280Q
Minimum Order Quantity: 1 Set

Price: USD 11000-19000/Set

Packaging Details: Export standard wooden case package

• Delivery Time: 45 working days

• Payment Terms: T/T, L/C, Western Union

• Supply Ability: 50 Set per Month



Product Specification

Product Name: Metal Lathe Torno Machine

Type: CW6280Q
Style: Horizontal
Max.swing Over Bed: 800mm
Max.swing Over Carriage: 480mm
Max.swing Over Gap: 1000mm
Spindle Bore: 105mm

Application: Metal Cutting And Turning

Key Words: Horizontal Manual Lathe Machine

Operation: Manual



More Images







Product Description

CW6280Q Horizontal Torno Paralelo Manual Turning Metal Lathe Torno Machine Product Introduction:

The CW6163, CW61100, CW61125, and CW61160 heavy-duty lathes are suitable for turning or machining cast iron and steel workpieces as well as medium to large non-ferrous metal parts. They can perform external cylindrical surface turning, internal hole and end face turning, and various internal and external metric, inch, module, and diametrical pitch threads. The top slide can be used independently for turning of short tapers. These lathes boast high power, high rigidity, and a wide range of rotating speeds, making them ideal for high-speed and strong force turning operations.

This lathe are suitable for turning internal and external cylindrical, conical and swing surfaces as well as various metric, inch, module and diametric pitch threads. They can also be used for broaching oil grooves and keyways.

The Horizontal lathe machine is mainly suitable for cutting the workpiece inside and outside round cylindrical, cone and other rotating parts, machinable various commonly used metric, inch, module and diametral pitch thread, and broaching oil groove and keyway.

CW6180Q/CW6280Q Series Lathe Machine(2tons load capacity):

Swing over bed: 800mm; Swing over cross slide: 480mm;

Processing length: it's up to customer's requirements;

Bed width: 550mm; Load capacity: 2 tons;

Spindle bore: 105mm [Optional 130mm];

Main motor power: 11kw.



HORIZONTAL LATHE MACHINE DETAILS DETERMINE SUCCESS OR FAILURE: DETAILS CAST A GOOD MACHINE















Specification:

| al items Model | ဗ | CW618 0Q / | | CW6111 0Q/ | CW61125Q | | CW611 | l | - | | | |
|--|---|------------------|----------------------------|------------------------|----------------------|------------|------------|------------|------------|------------|--|--|
| | | CW628 0Q | CW628 0B | CW6211 0Q | CW62125Q | 25B | 60B | 160 | 200 | 250 | | |
| Swing diamete r over bed | 630m m | 800mm | 800mm | 1100mm | 1250mm | 1250m m | 1600m m | 1600 mm | 2000 mm | 2500m m | | |
| Swing diamete r over carriage /cross slide | m | 480mm | 480mm | 800mm | 920mm | 860mm | 1200m m | 1200 mm | 1600 mm | 2100m m | | |
| r over gap/sad | CW61 63- No gap | No gap | No gap | No gap | CW61125Q- -No gap | | | | | | | |
| | CW62 63- 800m m | Į0Q- | CW628 0B- 1000m m | CW6211 0Q 1300mm | CW62125Q- -1500mm | No gap | | | | | | |
| Max. Length of workpie ce | 1500mm; 2000mm; 3000mm;4000mm; 5000mm; 6000mm; 8000mm; 10000mm; 12000mm; 14000mm; 16000mm; 18000mm; 20000mm | | | | | | | | | | | |
| Max.wei ght of workpie ce | 2 tons | 2 tons | 2.5 tons | 2.5 tons | 2.5 tons | 6 tons | 6 tons | 16 tons | 16 tons | 16 tons | | |
| Spindle hole diamete r | 105m m | 105mm | 105mm | 105mm | 105mm | 130mm | 130mm | 130m m | 130m m | 130m m | | |
| Guide rail width | 550m m | 550mm | 600mm | 600mm | 600mm | 755mm | 755mm | 1100 mm | 1100 mm | 1100m m | | |

| Main motor | 11 kw | 22 kw | |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| power | | | | | | | | | | | l |

Company Profile:

Henan Baishun Machinery Equipment Co., Ltd. is a professional manufacturer of machinery equipments with a long history. We can manufacturer manual kind of horizontal lathe machine; CNC lathe machine; vertical lathe machine; roll lathe machine; facing lathe machine; deep hole drilling and boring machine, Plano miller, etc. Recent years we have new products, named Pole erection machine with post hole digger, which is very suitable in digging earth & erection of Electrical Poles. This compact solution can be quite useful for Pole erection as it helps in reduction of labour and increases the number of poles erected per day thereby significantly reducing the project time drastically. More safeties are provided in this machine compare to other local pole erector machines.

REAL SHOOTING

PRODUCTION WORKSHOP

CAREFUL AND RIGOROUS, PRECISE ASSEMBLY, EVERY PLACE IS DELICA TEEVERY SILK IS OUR DEDICATED EFFORT.



Paking&Delivery:







WHY CHOOSE US?



Advanced facilities



Reliable quality control



Logistics support



Professional engineers





















Our services& advantage:

Our Services

We can provides 7x24-hour online pre-sale service, engineer follow-up order service, and logistics delivery operation service, And also we can provide installation services. In addition, with more than 10 years experience of various markets, we can help customers successfully complete a series of services from purchasing to goods Customs clearance, thereby saving times and also reducing customers' costs in all aspects.

Our advantage:

- 1: With CE, ISO certification.
- 2: Full production tracking.
- 3: Professional engineers can guarantee the highest quality.
- 4: More suppliers as alternatives, guarantee your lowest and competitive price.
- 5: Sales fstaff with more than 10 years experience, will answer your pre-sales and after-sales questions.
- 6: OEM production is available, to meet customer needs
- 7. Low MOQ (1 unit) is available.
- 8. 24 hours technical support.

Warranty period:

During warranty period (one year), if you have any parts broken because of qulity problem,we will supply to you free of charge by express.

Out of warranty period, if you have any question, you can contact us, we will supply our best service to you as usual.

- 1. Technical support online service provided .
- 2. Technical files service provided.
- 3. Machine operation video provided
- 4. On-site training service provided.
- 5. Spare parts replacement and repair service provided.
- 6. All of the questions will be replied within 24 hour s



Ms. Elena Xie

(Sales Manager)

Ph:/Whatsapp: +86 17838375098

Email: elena@goodlathe.com

Tel:+86 371-55661885



Henan Baishun Machinery Equipment Co., Ltd.



+8618939515188



sale@goodlathe.com



(E) lathemach.com

No.65, Tianming Road, Jinshui District, Zhengzhou City, Henan Province, China